

United States Patent and Trademark Office

ENITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginita 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/805,772	03/16/2001	Patrice Caillat	203496US0PCT	7945
22850	7590 03/01/2005		EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.			HANDY, DWAYNE K	
1940 DUKE S ALEXANDRI	A, VA 22314		ART UNIT PAPER NUMBER	
	•		1743	
			DATE MAILED: 03/01/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

			me me
	Application No.	Applicant(s)	
Supplemental	09/805,772	CAILLAT ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Dwayne K Handy	1743	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate communication is substitution in	this application. If not includ nication will be mailed in due	led course. THIS
1. A This communication is responsive to applicant's letter subr	nitted 12/09/2004.		
2. The allowed claim(s) is/are 22,23,26-30,33,44-48,55-57 ar	<u>nd 60</u> .		
3. \boxtimes The drawings filed on <u>16 March 2001</u> are accepted by the	Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority unallocation. a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents 	been received. been received in Application	ı No	ation from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the re	quirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAles reason(s) why the oath or	MINER'S AMENDMENT or Neclaration is deficient.	NOTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date 	son's Patent Drawing Review		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the	e drawings in the front (not th	e back) of
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	RIAL must be submitted. LOGICAL MATERIAL.	Note the
AMach			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Info	ormal Patent Application (PT	O-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Su	mmary (PTO-413).	- ·,
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./N	Mail Date Amendment/Comment	
Paper No./Mail Date	8. ⊠ Examiner's S	Statement of Reasons for Alle	owance

of Biological Material

9. Other ____.

Application/Control Number: 09/805,772 Page 2

Art Unit: 1743

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance:

Applicant has claimed a carrier device comprised of a plurality of analysis sites able to fix a chemical or biological reagent. The analysis sites are formed of microdishes hollowed out of the carrier to form a bottom, sidewalls, and edge area. The areas surrounding the microdishes are planar and made of hydrophobic material. The bottom of the microdish is made of a first hydrophilic material, while at least part of the side walls and edges is made from a second hydrophilic material. The first hydrophilic material is able to fix the reagent while the second hydrophilic material is not able to do so. This is shown in Figure 5. The Examiner considers the reference "Zaffaroni" to be the closest prior art. Zaffaroni teaches a plurality of hydrophilic sites surrounded by a hydrophobic field, but does not teach the use of *two different hydrophilic materials* in the wells.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. The Examiner agrees with applicants assertion in the Letter submitted 12/09/04 that the previous statement of reason for allowance contained an error. The Examiner mistakenly used the term "hydrophobic" to describe the first and second materials in the

Application/Control Number: 09/805,772

Art Unit: 1743

microdish when the term "hydrophilic" should have been used. The Examiner

apologizes for the mistake and believes the Statement for Reasons for Allowance in this

action properly reflects the reason why the claimed invention is allowable over the prior

art.

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Dwayne K Handy whose telephone number is (571)-

272-1259. The examiner can normally be reached on M-F 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Jill Warden can be reached on (571)-272-1267. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

DKH

February 27, 2005

Supervisory Patent Examiner

Page 3